SUPPLEMENTAL
Notice of Allowability

<b>Application No.</b> 10/658,131	Applicant(s)  SCHOENBLUM, JOEL W.		
Andy S. Rao	2621		

			í
	Andy S. Rao	2621	
The MAILING DATE of this communication apperatus All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. <b>THIS</b>
1. This communication is responsive to the amendment of 8/	11/06 and the Notice of Allowance of	<u>f 10/12/06</u> .	
2.  The allowed claim(s) is/are <u>1-17, 19-42, and 44-51 (respec</u>	tively renumbered as claims 1-49).		
3. ☐ Acknowledgment is made of a claim for foreign priority ur  a) ☐ All b) ☐ Some* c) ☐ None of the:			
Certified copies of the priority documents have			
2. Certified copies of the priority documents have	• • • • • • • • • • • • • • • • • • • •		
<ol> <li>Copies of the certified copies of the priority does</li> <li>International Bureau (PCT Rule 17.2(a)).</li> </ol>	cuments have been received in this i	national stage applica	tion from the
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the red	quirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			OTICE OF
5. CORRECTED DRAWINGS ( as "replacement sheets") mus	et be submitted.		
(a) ☐ including changes required by the Notice of Draftspers	on's Patent Drawing Review ( PTO-	948) attached	
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date			
(b) including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the O	ffice action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the drawir he header according to 37 CFR 1.121(c	ngs in the front (not the d).	back) of
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT			lote the
•			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary		
Information Disclosure Statements (PTO/SB/08),     Paper No./Mail Date	Paper No./Mail Dat 7. ⊠ Examiner's Amendn		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	nt of Reasons for Allo	wance
······································	9.		
		ANDY BAD	

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

## In the claims:

- A). Claim 1, line 29, "the threshold function;." should be changed to "the threshold function." in order to put the claim in an acceptable format.
- B). Claim 25, line 4, "partitioning" should be changed to "(1) partitioning" in order to maintain proper step hierarchy.
- C). Claims 35-42, 44-51, line 1 (for all respective claims), "The method" should be changed to "The apparatus" as these claims are dependent from apparatus claim 27.

## **REASONS FOR ALLOWANCE**

2. The following is an examiner's statement of reasons for allowance:

Independent claims 1 and 27 recite "...a thresholder adapted to threshold the given portion, wherein the rate controller determines whether the given portion should be requantized and whether the given portion should be thresholded based at least in part on at least one of the statistics about the given portion; and an encoder adapted to compress the frame, wherein the

Art Unit: 2621

compressed size of the frame is approximately the same as a target size; wherein the rate controller is further adapted to determine a target number (NTHRESH) of levels to set to zero by thresholding; wherein the thesholder is adapted to determine the number of levels (CNT) beneath a threshold function having a predetermined width and height profile, responsive to the number of levels (CNT) beneath the threshold function being within a predetermined range of the target number (NTHRESH), the thresholder sets the magnitude of the levels beneath the threshold function to zero, and responsive to the number of levels (CNT) beneath the threshold function being outside of the predetermined range of the target number (NTHRESH) the thresholder adjusts the threshold function..." which are features that are not anticipated nor obvious over the art of record. Dependent claims 2-17, 19-26, 28-42, 44-51 are allowable for the reasons concerning the independent claims.

## Conclusion

- 3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andy S. Rao whose telephone number is (571)-272-7337. The examiner can normally be reached on Monday-Friday 8 hours.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mehrdad Dastouri can be reached on (571)-272-7418. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2621

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Andy S. Rao Primary Examiner

Art Unit 2621

asr November 6, 2006